



GREAT LAKES WOOD FLOORS

Are you looking for a stain to match your new Great Lakes Wood Floors? At Great Lakes Flooring, we have partnered with PPG to provide coordinating stain matches in both gallon and quart formulations. This stain can be purchased at an authorized PPG Retailer in your area. We have included a link to the PPG Dealer Locator as well as a list of the coordinating stain matches we currently have. Should you not see a color listed below that you are looking for, you can take a few pieces of the material to an authorized PPG Retailer along with an unfinished piece of wood that you will be matching to the flooring. The PPG store can provide you with a stain that matches once you provide them with these two items.

Before applying the stain, you should test it in an inconspicuous area or on a piece of unfinished material as a test to determine how much stain to apply. Once you have tested the stain and have a feel for how much it will take to achieve the desired color, you can proceed with completing your project. You can discuss the stain and base with the PPG Representative for guidance on how to best apply the stain to ensure it is a good match.

We hope this information is helpful, but should you have any additional questions please reach out to us at info@greatlakeswoodfloors.com

SKU	Color	Species	Platform	FormulaPro Stain Code - Gallon	FormulaPro Stain Code - Quart	PPG 96 Stain Code - Gallon	PPG 96 Stain Code - Quart
7423574	Aged Stone	Oak	Solid	DFT400 - BX-3Y+16; DX-4	DFT400 - BX-40; DX-1	DFT400 - B=8Y+32; D=4	DFT400 - B-2Y+8; D-1
7423566	Barista	White Oak	Solid	DFT400 - BX-1Y+16; CX-40; WX-8	DFT400 - BX-16; CX-10; WX-2	DFT400 - B-1y+8; W-8	DFT400 - B-14; W-2
7423575	Buckskin	Hickory	Solid	DFT400 - BX-9Y+16; CX-1Y; FX-2Y+8	DFT400 - BX-2Y+16; CX-12; FX-26	DFT400 - BX-5Y+16; CX-32; FX-1Y; WX-4	DFT400 - BX-1Y+16; CX-8; FX-12; WX-1
7422522	Caramel	Oak	Solid	DFT400 - C-36; F-12; G-1; L-1	DFT400 - C-9; F-3; G-0.25; L-0.25	DFT400 - C-36; F-12; G-1; L-1	DFT400 - C-9; F-3; G-0.25; L-0.25
7422520	Caramel	Oak	Solid	DFT400 - C-36; F-12; G-1; L-1	DFT400 - C-9; F-3; G-0.25; L-0.25	DFT400 - C-36; F-12; G-1; L-1	DFT400 - C-9; F-3; G-0.25; L-0.25
7423585	Cocoa	Oak	Solid	DFT400 - BX-8; FX-16; LX-5Y+40; MX-2	DFT400 - BX-2; FX-4; LX-1Y+22; MX-.5	DFT400 - B=2; F=12; L=16; M=4	DFT400 - B=1/2; F=3; L=16; M=1
7422338	Cracked Pepper	Oak	Solid	DFT400 - B-11Y+24; W-24	DFT400 - B-2Y+42; W-24	DFT400 - B-11Y+24; W-24	DFT400 - B-2Y+42; W-24
7423559	Dark Chocolate	Oak	Solid	DFT400 - B=8Y; C=1Y+20; F=1Y+4; V=1Y+28	DFT400 - B=2Y; C=17; F=13; V=19	DFT400 - B=7Y+44; C=1Y+24; F=1Y+8	DFT400 - B-1Y+47; C-18; F-14
7422334	Fall Harvest	Maple	Solid	DFT400 - B-40; C-1Y+24; F-32	DFT400 - B-10; C-18; F-8	DFT400 - B-40; C-1Y+24; F-32	DFT400 - B-10; C-18; F-8
7423576	Granite	Hickory	Solid	DFT400 - BX-8Y+32; CX-6; FX-4; WX-2Y	DFT400 - BX-2Y+8; CX-1.5; FX-1; WX-24	DFT400 - B=7Y+16; C=4; W=2Y	DFT400 - B=1Y+40; C=1; W=24
7423561	Granite	Hickory	Solid	DFT400 - B-4Y+32; L-4Y+32; V-1Y+24; W-40	DFT400 - B-1Y+8; L-1Y+8; V-18; W-10	DFT400 - B=7Y+16; C=4; W=2Y	DFT400 - B=1Y+40; C=1; W=24
7422502	Honey	Oak	Solid	DFT400 - CX-5Y+16; FX-32; LX-1Y+16	DFT400 - CX-1Y+16; FX-8; LX-16	DFT400 - C=0Y+12; F=0Y+24; L=0Y+40	DFT400 - C=0Y+3; F=0Y+6; L=0Y+10
7423578	Natural	Red Oak	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7422915	Natural	Red Oak	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7423586	Natural	Hickory	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7422561	Natural	Red Oak	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7423565	Natural	Red Oak	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7423555	Provincial	Hickory	Solid	DFT400 - BX-24; DX-4	DFT400 - BX-6; DX-1	DFT400 - B-5Y+16; C-2Y+16; F-1Y+32	DFT400 - B= 1Y+16; C=28; F=20
7423563	Provincial	Hickory	Solid	DFT400 - BX-2Y+36; CX-1Y+6; FX-46	DFT400 - BX-33; CX-13.5; FX-4	DFT400 - B=2Y+36; C=1Y+4; F=36	DFT400 - B=33; C=13; F=9
7423598	Rustic Natural	Hickory	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color

Dealer Locator Link: <https://www.ppgpaints.com/store-locator>



GREAT LAKES WOOD FLOORS

Are you looking for a stain to match your new Great Lakes Wood Floors? At Great Lakes Flooring, we have partnered with PPG to provide coordinating stain matches in both gallon and quart formulations. This stain can be purchased at an authorized PPG Retailer in your area. We have included a link to the PPG Dealer Locator as well as a list of the coordinating stain matches we currently have. Should you not see a color listed below that you are looking for, you can take a few pieces of the material to an authorized PPG Retailer along with an unfinished piece of wood that you will be matching to the flooring. The PPG store can provide you with a stain that matches once you provide them with these two items.

Before applying the stain, you should test it in an inconspicuous area or on a piece of unfinished material as a test to determine how much stain to apply. Once you have tested the stain and have a feel for how much it will take to achieve the desired color, you can proceed with completing your project. You can discuss the stain and base with the PPG Representative for guidance on how to best apply the stain to ensure it is a good match.

We hope this information is helpful, but should you have any additional questions please reach out to us at info@greatlakeswoodfloors.com

SKU	Color	Species	Platform	FormulaPro Stain Code - Gallon	FormulaPro Stain Code - Quart	PPG 96 Stain Code - Gallon	PPG 96 Stain Code - Quart
7422552	Saddle	Hickory	Solid	DFT400 - B=28; C=1Y+16; F=20; L=12	DFT400 - B=7; C=16; F=5; L=3	DFT400 - B=28; C=1Y+16; F=20; L=12	DFT400 - B=7; C=16; F=5; L=3
7422550	Saddle	Hickory	Solid	DFT400 - B=28; C=1Y+16; F=20; L=12	DFT400 - B=7; C=16; F=5; L=3	DFT400 - B=28; C=1Y+16; F=20; L=12	DFT400 - B=7; C=16; F=5; L=3
7423589	Saddle	Oak	Solid	DFT400 - BX-36; CX-1Y+36; FX-27	DFT400 - BX-9; CX-21; FX-6.75	DFT400 - B=34; C=1Y+36; F=27	DFT400 - B-8.5; C-21; F-6.5
7422525	Saddle	Oak	Solid	DFT400 - B=34; C=1Y+36; F=27	DFT400 - B-8.5; C-21; F-6.5	DFT400 - B=34; C=1Y+36; F=27	DFT400 - B-8.5; C-21; F-6.5
7423589	Saddle	Oak	Solid	DFT400 - B=34; C=1Y+36; F=27	DFT400 - B-8.5; C-21; F-6.5	DFT400 - B=34; C=1Y+36; F=27	DFT400 - B-8.5; C-21; F-6.5
7423553	Saddle	Oak	Solid	DFT400 - B=8Y+32; D=4	DFT400 - B-2Y+8; D-1	DFT400 - B=34; C=1Y+36; F=27	DFT400 - B-8.5; C-21; F-6.5
7423568	Serenity	White Oak	Solid	DFT400 - BX-12; LX-40; WX-2Y+24	DFT400 - BX-3; LX-10; WX-30	DFT400 - C-6; L-40; W-2y+24	DFT400 - C-1.5; L-10; W-30
7422340	Tanned Leather	Oak	Solid	DFT400 - B=4Y+32; C=1Y+36; F=1Y+40	DFT400 - B=1Y+8; C=21; F=22	DFT400 - B=4Y+32; C=1Y+36; F=1Y+40	DFT400 - B=1Y+8; C=21; F=22
7423567	Vintage	White Oak	Solid	DFT400 - BX-4Y+40; CX-3Y; FX-40	DFT400 - BX-1Y+10; CX-36; FX-10	DFT400 - B=6Y; C=24; F=8	DFT400 - B-1Y+24; C-6; F-2
7423596	Weathered Acorn	Hickory	Solid	DFT400 - BX-5Y+16; CX-2Y+16; FX-1Y+32	DFT400 - BX-1Y+16; CX-28; FX-20	DFT400 - B=5Y+16; C=2Y+16; F=1Y+32	DFT400 - B= 1Y+16; C=28; F=20
7422336	Whiskey Barrel	Oak	Solid	DFT400 - B=4Y+16; C=1Y+40; F=30	DFT400 - B=1Y+4; C=22; F=7.5	DFT400 - B=4Y+16; C=1Y+40; F=30	DFT400 - B=1Y+4; C=22; F=7.5
7422501	Natural	Red Oak	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7423598	Rustic Natural	Hickory	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7423590	Natural	White Oak	Solid	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7423573	Warm Cottage	Red Oak	Solid	DFT400 - BX:5Y;FX:2Y+6;VX:8	DFT400 - BX:1Y+12;FX:25.5;VX:2	DFT400 - B:5Y+32;F:1Y+46;V:24	DFT400 - B:1Y+20;F:23.5;V:6
7423577	Winter Wheat	Red Oak	Solid	DFT400 - BX:2Y;CX:1Y+24;FX:22	DFT400 - BX:24;CX:18;FX:5.5	DFT400 - B:2Y+16;C:1Y+22;F:28	DFT400 - B:28;C:17.5;F:7
7423587	Saddle	Hickory	Solid	DFT400 - B=1Y+8; C=28; F=42;L=2Y	DFT400 - BX-12; CX-12; FX-8	DFT400 - B=1Y; C=1Y; F=32	DFT400 - B=12; C=12; F=8

Dealer Locator Link: <https://www.ppgpaints.com/store-locator>



GREAT LAKES WOOD FLOORS

Are you looking for a stain to match your new Great Lakes Wood Floors? At Great Lakes Flooring, we have partnered with PPG to provide coordinating stain matches in both gallon and quart formulations. This stain can be purchased at an authorized PPG Retailer in your area. We have included a link to the PPG Dealer Locator as well as a list of the coordinating stain matches we currently have. Should you not see a color listed below that you are looking for, you can take a few pieces of the material to an authorized PPG Retailer along with an unfinished piece of wood that you will be matching to the flooring. The PPG store can provide you with a stain that matches once you provide them with these two items.

Before applying the stain, you should test it in an inconspicuous area or on a piece of unfinished material as a test to determine how much stain to apply. Once you have tested the stain and have a feel for how much it will take to achieve the desired color, you can proceed with completing your project. You can discuss the stain and base with the PPG Representative for guidance on how to best apply the stain to ensure it is a good match.

We hope this information is helpful, but should you have any additional questions please reach out to us at info@greatlakeswoodfloors.com

SKU	Color	Species	Platform	FormulaPro Stain Code - Gallon	FormulaPro Stain Code - Quart	PPG 96 Stain Code - Gallon	PPG 96 Stain Code - Quart
7423591	Cascade	White Oak	Engineered	DFT400 - BX-12; LX-40; WX-2Y+24	DFT400 - BX-3; LX-10; WX-30	DFT400 - C-6; L-40; W-2y+24	DFT400 - C-1.5; L-10; W-30
7422858	Champagne	Hickory	Engineered	DFT400 - B=6Y+40; C=1Y+16; F=1Y+40; V=40	DFT400 - B=1Y+34; C=16; F=22; V=10	DFT400 - B=6Y+40; C=1Y+16; F=1Y+40; V=40	DFT400 - B=1Y+34; C=16; F=22; V=10
7422915	Dark Coffee	Maple	Engineered	DFT400 - BX-8Y; CX-2Y+16; FX-1Y+32	DFT400 - BX-2Y; CX-28; FX-20	DFT400 - B=9Y+40;C=24; F=1Y+32	DFT400 - B=2Y+22; C=6; F=20
7422911	Espresso	Oak	Engineered	DFT400 - BX-9Y+16; CX-1Y; FX-2Y+8	DFT400 - BX-2Y+16; CX-12; FX-26	DFT400 - BX-9Y+16; CX-1Y; FX-2Y+8	DFT400 - BX-2Y+16; CX-12; FX-26
7422913	Granite	Hickory	Engineered	DFT400 - B-4Y+32; L-4Y+32; V-1Y+24; W-40	DFT400 - B-1Y+8; L-1Y+8; V-18; W-10	DFT400 - B=7Y+16; C=4; W=2Y	DFT400 - B=1Y+40; C=1; W=24
7422914	Macchiato	Maple	Engineered	DFT400 - BX-6Y+16; CX-20; FX-2Y+32	DFT400 - BX-1Y+28; CX-5; FX-32	DFT400 - BX-6Y+16; CX-20; FX-2Y+32	DFT400 - BX-1Y+28; CX-5; WX-32
7422840	Natural	Maple	Engineered	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7422842	Natural	Maple	Engineered	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7423599	Natural	Red Oak	Engineered	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7423590	Natural	White Oak	Engineered	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color	DFT400 - Base matches color
7422912	Provincial	Hickory	Engineered	DFT400 - BX-1Y+4; CX-18; FX-16	DFT400 - BX-1Y+4; CX-18; FX-16	DFT400 - B=4Y; C=1Y+16; F=1Y+16	DFT400 - B=1Y; C=16; F=16
7422852	Saddle	Hickory	Engineered	DFT400 - B=1Y+8; C=28; F=42;L=2Y	DFT400 - B=14; C=7; F=10.5; L=24	DFT400 - B=1Y+8; C=28; F=42;L=2Y	DFT400 - B=14; C=7; F=10.5; L=24
7422910	Saddle	Oak	Engineered	DFT400 - BX-28; CX-1Y+8; FX-22.5	DFT400 - BX-7; CX-14; FX-5.625	DFT400 - B=28; C=1Y+8; F=18	DFT400 - B-7; C-14; F-4.5
7422508	Worn Leather	Hickory	Engineered	DFT400 - BX-4Y+16; CX-1Y+24; FX-1Y+16	DFT400 - BX-1Y+4; CX-18; FX-16	DFT400 - B=4Y; C=1Y+16; F=1Y+16	DFT400 - B=1Y; C=16; F=16
7422507	Stone	Hickory	Engineered	DFT400 - BX-4Y+8; CX-40; FX-12; WX-5Y	DFT400 - BX-2Y+6; CX-14; FX-18; WX-10	DFT400 - BX-4Y+8; CX-40; FX-12; WX-5Y	DFT400 - BX-1Y+2; CX-10; FX-3; WX-1Y+12
7422504	Morning Dew	Hickory	Engineered	DFT400 - BX-3Y+16; CX-2Y+8; FX-1; WX-5Y+40	DFT400 - BX-40; CX-26; FX-4; WX-1Y+22	DFT400 - BX-3Y+16; CX-2Y+8; FX-1; WX-5Y+40	DFT400 - BX-40; CX-26; FX-4; WX-1Y+22
7422505	Nightfall	Hickory	Engineered	DFT400 - BX-8Y+32; CX-6; FX-4; WX-2Y	DFT400 - BX-2Y+8; CX-1.5; FX-1; WX-24	DFT400 - B=7Y+16; C=4; W=2Y	DFT400 - B=1Y+40; C=1; W=24

Dealer Locator Link: <https://www.ppgpaints.com/store-locator>